

KF 法兰和管件

KF Flanges & Fittings

赛米瑟 KF 法兰依照国际标准化组织规格设计制造，与现行国际厂牌规格通用（KF-ISO 规格）。

可供选择的材质规格有 sus304, sus316L 和铝合金（AL6061）。

KF 法兰快速、简易的设计，可方便使用者高效的进行管件的组合和拆卸，可以重复使用。并且不需要采用专业工具就可以操作。

法兰对应的管径范围从 1/2 寸到 2 寸。

法兰外部斜面设计，卡箍紧固时，增加法兰面的紧固力，中心支架 O 型圈置于法兰密封面的中间，提供管件的稳定性和密封性。

KF 管件的真空度可以低至 1×10^{-8} Torr，最高耐温到达 200 度。

SSV Clamp flanges are designed in accordance with the International Standards Organization (ISO) specifications and are 100% compatible with other manufacturers' KF- ISO flange design. Standard materials include stainless steel (sus304 and sus316L) and Aluminum is also available upon request. KF flanges are a convenient solution for quick assembly and disassembly of vacuum components and flange connections are available in a range of tube sizes from 1/2" to 2.0".

KF flanges utilize an aluminum clamp with a single wing nut allowing frequent assembly and disassembly without the need for any tools. The 15 degree taper surface of the flange allows uniform pressure for compressing an O-ring held in place by a centering ring. The vacuum seal can be applied up to 1×10^{-8} Torr and baked to 200°C. However, sustained baking above 200°C may result in deterioration of the elastomer seal.





标准规格 Standard Specification

真空效率 Vacuum Rate	高真空 High Vacuum
材料 Material	SS 304L, SS 316L and Aluminum
法兰尺寸 Flange Sizes	KF10~KF50
管材尺寸 Tube Sizes	1/2"~2.0" Surface Finish: Bead-blast and polished
真空范围 Vacuum Range	760 Torr ~ 1×10^{-8} Torr
垫片材料 Gasket Material	FKM FFKM
温度范围 Temperature Range	<200° C (150° C sustained)

KF 法兰的装配


KF Flanges Assembly



KF

铝合金卡箍 KF Wing-Nut Clamps Type 1


材料 Material : 铝 Aluminum



Part Number	Size	A	B	C
KF-WC1-16	KF10/16	62.0	42.0	16.5
KF-WC1-25	KF25	72.0	53.5	16.5
KF-WC1-40	KF40	89.5	69.5	16.5
KF-WC1-50	KF50	113.0	90.0	20.0

不锈钢卡箍 KF Wing-Nut Clamps Type 2


材料 Material : 不锈钢 SUS304



Part Number	Size	A	B	D
KF-WC1-16-04	KF10/16	62.0	42.0	16.5
KF-WC1-25-04	KF25	72.0	53.5	16.5
KF-WC1-40-04	KF40	89.5	69.5	16.5
KF-WC1-50-04	KF50	113.0	90.0	20.0

CNC 加工卡箍 (不锈钢) KF CNC SS304 Clamps


材料 Material : SS 304



Part Number	Size	A	B	C	D
KF-CC-16	KF10/16	25.4	30.8	68.0	15.9
KF-CC-25	KF25	34.1	40.9	80.6	15.9
KF-CC-40	KF40	49.4	55.7	87.2	15.9
KF-CC-50	KF50	69.0	75.6	109.3	15.9

CNC 加工卡箍 (铝合金) KF CNCALuminum Clamps

材料 Material : SS 304




Part Number	Size	A	B	C	D	Max Pressure
KF-CC-16-AL	KF10/16	25.4	30.8	70.2	15.9	300 PSI
KF-CC-25-AL	KF25	34.1	40.9	82.7	15.9	270 PSI
KF-CC-40-AL	KF40	49.4	55.7	90.8	15.9	250 PSI
KF-CC-50-AL	KF50	69.0	75.6	113.0	15.9	-

KF

NW 卡箍 KF NW Clamps


材料 Material : SS 304



Part Number	Size	A	B	C
KF-NWC-16-04	KF10/16	59.5	33.5	16.0
KF-NWC-25-04	KF25	73.0	48.0	16.0
KF-NWC-40-04	KF40	89.0	63.9	16.0
KF-NWC-50-04	KF50	112.5	80.0	20.0

KF 快速卡箍 KF Quickclamps

材料 Material : 铝 Aluminum



Part Number	Size	A	B	C	D	E	R
KF-QC-16	KF10/16	41.0	62.3	16.5	16.5	11.9	48.0
KF-QC-25	KF25	54.0	72.4	16.5	22.0	16.6	56.0
KF-QC-40	KF40	69.0	89.7	16.5	29.0	24.3	72.4

环形卡箍 KF Bulkhead (Clamps)Sets

材料 Material : 铝 Aluminum



Part Number	Size	Figure	A	B	C	Bolt Hole Size	No of Bolt Holes	Bolt Size
KF-BCS-16	KF10/16	1	50.8	9.2	38.1	4.3	6	10-32UNF-15.9L
KF-BCS-25	KF25	1	60.3	9.9	48.0	5.3	6	10-32UNF-15.9L
KF-BCS-40	KF40	1	74.6	9.3	62.0	5.3	6	10-32UNF-15.9L
KF-BCS-50	KF50	2	95.2	10.3	82.6	5.3	6	10-32UNF-15.9L

Figure1






Figure2




KF

壁夹卡箍 KF Wall Clamps With Bolts

材料 Material : 铝 Aluminum



Part Number	Size	A	B
KF-WC1-1650	KF 16~KF 50	20.0	15.0




单钩卡箍 KF Single Claw Clamp Kit

材料 Material : 铝 Aluminum




Part Number	Size	A	B
KF-SC-1650	KF 16~KF 50	20.0	14.0



中心支架 KF Centering Rings

材料 Material : SS 304 SS 316L 铝 Aluminum




Part Number (SS304/SS316L)	Part Number (Aluminum)	Size	A	B
KF-CR-10	KF-CR-10-AL	KF10	10.0	12.0
KF-CR-16	KF-CR-16-AL	KF16	16.0	17.0
KF-CR-25	KF-CR-25-AL	KF25	25.0	26.0
KF-CR-40	KF-CR-40-AL	KF40	40.0	41.0
KF-CR-50	KF-CR-50-AL	KF50	50.0	52.0

中心支架密封圈 KF Centering Rings With O-Rings,ss 304

中心环材料 Centering Ring Material : SS 304

O型圈 O-ring Material : FKM NBR




Part Number (FKM)	Part Number (NBR)	Size	A	B
KF-CR0-10	KF-CR0-10-NB	KF10	10.0	12.0
KF-CR0-16	KF-CR0-16-NB	KF16	16.0	17.0
KF-CR0-25	KF-CR0-25-NB	KF25	25.0	26.0
KF-CR0-40	KF-CR0-40-NB	KF40	40.0	41.0
KF-CR0-50	KF-CR0-50-NB	KF50	50.0	52.0

KF

中心支架密封圈 (铝合金) KF Centering Rings With O-Rings, Aluminum

中心环材料 Centering Ring Material : 铝 Aluminum

O 型圈 O-ring Material : FKM NBR




Part Number (FKM)	Part Number (Aluminum)	Size	A	B
KF-CR0-10-AL	KF-CR0-10-AL-NB	KF10	10.0	12.0
KF-CR0-16-AL	KF-CR0-16-AL-NB	KF16	16.0	17.0
KF-CR0-25-AL	KF-CR0-25-AL-NB	KF25	25.0	26.0
KF-CR0-40-AL	KF-CR0-40-AL-NB	KF40	40.0	41.0
KF-CR0-50-AL	KF-CR0-50-AL-NB	KF50	50.0	52.0

带滤网中心支架密封圈 KF Screened Centering Rings With O-Rings

中心环材料 Centering Ring Material : SS304

O 型圈 O-ring Material : FKM

滤网 Screen Material: SS304




Part Number	Size	A	B
KF-CROSC-16	KF16	17.0	12.7
KF-CROSC-25	KF25	25.0	21.8
KF-CROSC-40	KF40	41.0	36.8
KF-CROSC-50	KF50	52.0	47.8

中心支架密封圈带保持架 KF Centering Rings With O-Rings&Spacers

中心环材料 Centering Ring Material : SS 304

O 型圈 O-ring Material : FKM

保持架材料 Spacer Material : 铝 Aluminum




Part Number	Size	A	B
KF-CROS-16	KF16	32.5	16.0
KF-CROS-25	KF25	42.5	25.0
KF-CROS-40	KF40	57.5	40.0
KF-CROS-50	KF50	77.5	50.0

转接中心支架密封圈 KF Adaptive Centering Rings With O-Rings

中心环材料 Centering Ring Material : SS 304

O 型圈 O-ring Material : FKM




Part Number	Size	A	B	C
KF-CROA-1016	KF10/16	17.0	12.0	10.0
KF-CROA-2025	KF20/25	26.0	22.0	20.0
KF-CROA-3240	KF32/40	41.0	34.0	32.0

KF

法兰盲板 KF Blank Flanges (Without Boss)


材料 Material : SS 304 SS 316L 铝 Aluminum



Part Number (SS304L)	Part Number (Aluminum)	Flange size	A	B
KF-BL1-10	KF-BL1-10-AL	KF10	30.0	12.3
KF-BL1-16	KF-BL1-16-AL	KF16	30.0	17.3
KF-BL1-25	KF-BL1-25-AL	KF25	39.9	26.2
KF-BL1-40	KF-BL1-40-AL	KF40	54.9	41.2
KF-BL1-50	KF-BL1-50-AL	KF50	74.9	52.3

法兰盲板 KF Blank Flanges (With Boss)

材料 Material : SS 304 SS 316L 铝 Aluminum



Part Number (SS304L)	Part Number (Aluminum)	Flange Size	A
KF-BL2-10	KF-BL2-10-AL	KF10	30.0
KF-BL2-16	KF-BL2-16-AL	KF16	30.0
KF-BL2-25	KF-BL2-25-AL	KF25	40.0
KF-BL2-40	KF-BL2-40-AL	KF40	55.0
KF-BL2-50	KF-BL2-50-AL	KF50	75.0

钻孔法兰 KF Bored Flanges

材料 Material : SS 304 SS 316L 铝 Aluminum



Figure1






Figure2



Part Number	Size	Figure	A	B	C	D	E
KF-BF-10x038	KF10-3/8"	1	30.0	12.2	-	9.7	5.1
KF-BF-16x025	KF16-1/4"	1	30.0	17.2	-	6.5	5.1
KF-BF-16x038	KF16-3/8"	1	30.0	17.2	-	9.7	5.1
KF-BF-16x050	KF16-1/2"	2	30.0	17.2	10.2	13.0	5.1
KF-BF-16x075	KF16-3/4"	2	30.0	17.2	16.5	19.3	4.4
KF-BF-25x025	KF25-1/4"	1	39.9	26.2	-	6.5	5.1
KF-BF-25x038	KF25-3/8"	1	39.9	26.2	-	9.7	5.1
KF-BF-25x050	KF25-1/2"	2	39.9	26.2	10.2	13.0	5.1
KF-BF-25x075	KF25-3/4"	2	39.9	26.2	16.5	19.3	5.1
KF-BF-25x100	KF25-1"	2	40.0	26.2	22.1	25.7	4.9
KF-BF-40x025	KF40-1/4"	1	54.9	41.2	-	6.5	5.1
KF-BF-40x038	KF40-3/8"	1	54.9	41.2	-	9.7	5.1
KF-BF-40x050	KF40-1/2"	2	54.9	41.2	10.2	13.0	5.1
KF-BF-40x075	KF40-3/4"	2	54.9	41.2	16.5	19.3	5.1
KF-BF-40x100	KF40-1"	2	54.9	41.2	22.9	25.7	5.1
KF-BF-40x150	KF50-1 1/2"	2	54.9	41.2	35.6	38.4	5.1
KF-BF-50x025	KF50-1/4"	1	74.9	52.4	-	6.5	5.1
KF-BF-50x038	KF50-3/8"	1	74.9	52.4	-	9.7	5.1
KF-BF-50x050	KF50-1/2"	2	74.9	52.4	10.2	13.0	5.1
KF-BF-50x075	KF50-3/4"	2	74.9	52.4	16.5	19.3	5.1
KF-BF-50x100	KF50-1"	2	74.9	52.4	22.9	25.7	5.1
KF-BF-50x150	KF50-1 1/2"	2	74.9	52.4	35.6	38.4	5.1
KF-BF-50x200	KF50-2"	2	75.0	52.4	47.6	51.1	5.1

法兰塑料盖 KF Flange Plastic Cap

材料 Material : 塑料 PC




Part Number	Size	A	B	L
KF-PC-16	KF 10/16	32.0	30.0	7.0
KF-PC-25	KF 25	42.0	40.0	7.0
KF-PC-40	KF 40	57.0	55.0	7.0
KF-PC-50	KF 50	77.0	75.0	7.0

KF

短桩法兰 KF Unbored Stub Flanges


材料 Material : SS 304 SS 316L 铝 Aluminum



Part Number	Size	A	B
KF-UF-10	KF10-0.56"L	30.0	14.2
KF-UF-16	KF16-0.56"L	30.0	14.2
KF-UF-16-1	KF16-0.75"L	30.0	19.1
KF-UF-25	KF25-0.47"L	39.9	11.9
KF-UF-25-1	KF25-0.75"L	40.0	19.1
KF-UF-40	KF40-0.50"L	54.9	12.7
KF-UF-40-1	KF40-1.00"L	55.0	25.4
KF-UF-50	KF50-0.62"L	74.9	15.7
KF-UF-50-1	KF50-1.00"L	75.0	25.4

插焊短法兰 KF SocketWeldFlange,Short


材料 Material : SS 304 SS 316L 铝 Aluminum



Part Number	Flange Size	A	B	C	D
KF-SWS-10	KF10	30.0	12.2	12.9	16.0
KF-SWS-16	KF16	30.0	17.3	19.3	22.4
KF-SWS-25	KF25	39.9	26.3	25.7	28.8
KF-SWS-40	KF40	54.9	41.3	38.4	41.5
KF-SWS-50	KF50	74.9	52.3	51.1	54.2

插焊长法兰 KF Socket Weld Flanges, Long


材料 Material : SS 304 SS 316L 铝 Aluminum



Part Number	Size	A	B	C	D
KF-SWL-10	KF10	30.0	12.2	13.0	15.5
KF-SWL-16	KF16	30.0	17.3	19.3	22.2
KF-SWL-25	KF25	39.9	26.2	25.9	28.6
KF-SWL-40	KF40	54.9	41.1	38.6	44.5
KF-SWL-50	KF50	74.9	52.4	51.3	57.2

对焊短法兰 KF Butt Weld Stub Flanges, Short

材料 Material : SS 304 SS 316L 铝 Aluminum




Part Number	Size	A	B	C	D	E
KF-BWS-10	KF10	30.0	12.2	9.4	12.7	12.7
KF-BWS-16	KF16	30.0	17.2	15.7	19.1	12.7
KF-BWS-25	KF25	39.9	26.2	22.1	25.4	12.7
KF-BWS-40	KF40	54.9	41.2	34.8	38.1	19.1
KF-BWS-50	KF50	74.9	52.4	47.5	50.8	19.1

KF

对焊长法兰 KF Butt Weld stub Flanges, Long


材料 Material : SS 304 SS 316L 铝 Aluminum



Part Number	Flange Size	A	B	C	D
KF-BWL-10	KF10	30.0	12.2	9.4	12.7
KF-BWL-1016	KF10/16	30.0	17.2	9.4	12.7
KF-BWL-16	KF16	30.0	17.2	15.8	19.1
KF-BWL-25	KF25	40.0	26.2	22.1	25.4
KF-BWL-40	KF40	55.0	41.2	34.9	38.1
KF-BWL-50	KF50	75.0	52.4	47.6	50.8

半截法兰 KF Half Nipples


材料 Material : SS 304 SS 316L 铝 Aluminum



Part Number	Flange Size	Figure	A	B	C	D	E
KF-HN-10	KF10	1	30.0	12.2	9.4	12.7	31.8
KF-HN-16	KF16	1	30.0	17.2	15.8	19.1	29.1
KF-HN-16-1	KF16	1	30.0	17.2	15.8	19.1	38.1
KF-HN-25	KF25	2	39.9	26.2	22.1	25.4	51.7
KF-HN-25-1	KF25	1	40.0	26.2	22.1	25.4	51.8
KF-HN-40	KF40	2	54.9	41.2	34.8	38.1	61.0
KF-HN-40-1	KF40	2	54.9	41.2	34.8	38.1	62.5
KF-HN-50	KF50	2	74.9	52.4	47.5	50.8	80.0
KF-HN-50-1	KF50	2	74.9	52.3	47.5	50.8	81.5

直通法兰 KF Full Nipples

材料 Material : SS 304 SS 316L 铝 Aluminum




Part Number	Size	A	B	C
KF-FN-10	KF10	30.0	12.2	63.5
KF-FN-16	KF16	30.0	17.3	58.4
KF-FN-25	KF25	39.9	26.2	103.1
KF-FN-40	KF40	54.9	41.1	121.9
KF-FN-50	KF50	74.9	52.3	160.0

KF

直通缩径法兰 KF Straight Reducing Nipples


材料 Material : SS 304 SS 316L 铝 Aluminum



Part Number	Flange Size	A	B	C	D
KF-SRN-25x16	KF25/KF16	39.9	26.2	17.3	30.0
KF-SRN-40x16	KF40/KF16	54.9	41.1	17.3	30.0
KF-SRN-40x25	KF40/KF25	54.9	41.1	26.2	39.9
KF-SRN-50x16	KF50/KF16	74.9	52.3	17.3	30.0
KF-SRN-50x25	KF50/KF25	74.9	52.3	26.2	39.9
KF-SRN-50x40	KF50/KF40	74.9	52.3	41.1	54.9

锥形缩径法兰 KF Conical Reducing Nipples


材料 Material : SS 304 SS 316L 铝 Aluminum



Part Number	Flange Size	A	B	C	D
KF-CRN-25x16	K25/KF16	39.9	26.2	17.2	30.0
KF-CRN-40x16	KF40/KF16	54.9	41.2	17.2	30.0
KF-CRN-40x25	KF40/KF25	54.9	41.2	26.2	39.9
KF-CRN-50x16	KF50/KF16	74.9	52.4	17.2	30.0
KF-CRN-50x25	KF50/KF25	74.9	52.4	26.2	39.9
KF-CRN-50x40	KF50/KF40	74.9	52.4	41.2	54.9

45 度弯头 KF 45° Elbows


材料 Material : SS 304 SS 316L



Part Number	Flange Size	A	R
KF-45EL-16	KF16	15.7	28.6
KF-45EL-25	KF25	19.6	38.1
KF-45EL-40	KF40	27.5	57.2
KF-45EL-50	KF50	35.4	76.2

45 度长弯头 KF 45° Elbows With Tangents


材料 Material : SS 304 SS 316L



Part Number	Flange Size	A	R
KF-45ELT-16	KF16	23.1	28.6
KF-45ELT-25	KF25	28.5	38.1
KF-45ELT-25-1	KF25	33.9	38.1
KF-45ELT-40	KF40	42.7	57.2
KF-45ELT-40-1	KF40	45.1	57.2
KF-45ELT-50	KF50	50.6	76.2
KF-45ELT-50-1	KF50	62.5	76.2

90 度弯头 KF 90° Elbows

材料 Material : SS 304 SS 316L




Part Number	Flange Size	A	R
KF-90EL-10	KF10	31.8	19.1
KF-90EL-16	KF16	29.2	28.6
KF-90EL-25	KF25	41.9	38.1
KF-90EL-40	KF40	61.0	57.2
KF-90EL-50	KF50	80.0	76.2

KF

90 度长弯头 KF 90° Elbows With Tangents


材料 Material : SS 304 SS 316L



Part Number	Flange Size	A	R
KF-90ELT-16	KF16	68.6	28.6
KF-90ELT-16-1	KF16	39.9	28.6
KF-90ELT-25	KF25	92.5	38.1
KF-90ELT-25-1	KF25	50.0	38.1
KF-90ELT-40	KF40	130.1	57.2
KF-90ELT-40-1	KF40	65.0	57.2
KF-90ELT-50	KF50	140.0	76.2

90 度斜接弯头 KF 90° Mitered Elbows


材料 Material : SS 304 SS 316L



Part Number	Flange Size	A
KF-MEL-16	KF16	29.2
KF-MEL-16-1	KF16	39.9
KF-MEL-25	KF25	50.0
KF-MEL-25-1	KF25	51.6
KF-MEL-40	KF40	61.0
KF-MEL-40-1	KF40	65.0
KF-MEL-50	KF50	69.8
KF-MEL-50-1	KF50	80.0

正三通 KF Equal Tees


材料 Material : SS 304 SS 316L



Part Number	Flange Size	A	B
KF-ET-10	KF10	63.5	31.8
KF-ET-16	KF16	58.4	29.2
KF-ET-16-1	KF16	80.0	40.0
KF-ET-25	KF25	100.0	50.0
KF-ET-25-1	KF25	102.8	51.4
KF-ET-40	KF40	122.0	61.0
KF-ET-40-1	KF40	130.0	65.0
KF-ET-50	KF50	140.0	70.0
KF-ET-50-1	KF50	160.0	80.0

缩径三通 KF Reducing Tees

材料 Material : SS 304 SS 316L




Part Number	Flange Size	A	B
KF-RT-25x16	KF25/KF16	100.0	27.8
KF-RT-25x16-1	KF25/KF16	100.0	43.2
KF-RT-25x16-2	KF25/KF16	103.1	32.3
KF-RT-40x16	KF40/KF16	121.9	38.9
KF-RT-40x16-1	KF40/KF16	130.0	34.0
KF-RT-40x16-2	KF40/KF16	130.0	49.5
KF-RT-40x25	KF40/KF25	121.9	57.9
KF-RT-40x25-1	KF40/KF25	130.0	56.4
KF-RT-50x16	KF50/KF16	140.0	40.1
KF-RT-50x16-1	KF50/KF16	140.0	55.9
KF-RT-50x16-2	KF50/KF16	160.0	45.2
KF-RT-50x25	KF50/KF25	140.0	62.7
KF-RT-50x40	KF50/KF40	140.0	71.4
KF-RT-50x40-1	KF50/KF40	160.0	67.3

KF

四通 KF 4-Way Crosses


材料 Material : SS 304 SS 316L



Part Number	Flange Size	A	B
KF-4C-10	KF10	63.5	31.8
KF-4C-16	KF16	58.4	29.2
KF-4C-16-1	KF16	80.0	40.0
KF-4C-25	KF25	100.0	50.0
KF-4C-25-1	KF25	102.8	51.4
KF-4C-40	KF40	122.0	61.0
KF-4C-40-1	KF40	130.0	65.0
KF-4C-50	KF50	140.0	70.0
KF-4C-50-1	KF50	160.0	80.0

缩径四通 KF Reducing 4-Way Crosses


材料 Material : SS 304 SS 316L



Part Number	Flange Size	A	B
KF-4RC-25x16	KF25/KF16	103.1	32.3
KF-4RC-25x16-1	KF25/KF16	103.1	43.2
KF-4RC-40x16	KF40/KF16	121.9	38.9
KF-4RC-40x16-1	KF40/KF16	130.0	49.5
KF-4RC-40x25	KF40/KF25	121.9	57.9
KF-4RC-40x25-1	KF40/KF25	130.0	56.4
KF-4RC-50x16	KF50/KF16	160.0	45.2
KF-4RC-50x16-1	KF50/KF16	140.0	55.9
KF-4RC-50x25	KF50/KF25	140.0	62.7
KF-4RC-50x40	KF50/KF40	160.0	67.3
KF-4RC-50x40-1	KF50/KF40	140.0	71.4

五通 KF 5-Way Crosses


材料 Material : SS 304 SS 316L



Part Number	Flange Size	A	B
KF-5C-16	KF16	80.0	40.0
KF-5C-25	KF25	100.0	50.0
KF-5C-40	KF40	130.0	65.0
KF-5C-50	KF50	140.0	70.0

六通 KF 6-Way Crosses

材料 Material : SS 304 SS 316L



Part Number	Flange Size	A	B
KF-6C-16	KF16	80.0	40.0
KF-6C-25	KF25	100.0	50.0
KF-6C-40	KF40	130.0	65.0
KF-6C-50	KF50	140.0	70.0